

Fix Severity: 8192 Message: Creation of dynamic property CI_URI::\$config is deprecated CodeIgniter

adalah masalah yang sering terjadi jika aplikasi menggunakan CI yang sudah tidak kompetible dengan versi PHP terbaru. Cara mengataasinya dengan dengan cara menambahkan code:

[\AllowDynamicProperties]

1. Folder /system/core/

pada file **URI.php** -> di atas class CI_URL {

```
39
40 ▾ /**
41  * URI Class
42  *
43  * Parses URIs and determines routing
44  *
45  * @package      CodeIgniter
46  * @subpackage    Libraries
47  * @category      URI
48  * @author        EllisLab Dev Team
49  * @link          https://codeigniter.com/user_guide/libraries/uri.html
50  */
51 #[\AllowDynamicProperties]
52 ▾ class CI_URI {
53
54 ▾     /**
55      * List of cached URI segments
56      *
57      * @var array
58      */
59     public $keyval = array();
60
61 ▾     /**
62      * Current URI string
63      *
```

Router.php -> di atas class CI_Router {

```
47  * @category    Libraries
48  * @author      EllisLab Dev Team
49  * @link         https://codeigniter.com/user_guide/general/rou
50  */
51  #[\AllowDynamicProperties]
52  class CI_Router {
53
54      /**
55       * CI_Config class object
56       *
57       * @var object
58       */
59      public $config;
60
61      /**
62       * List of routes
63       *
64       * @var array
```

Loader.php -> di atas class CI_Loader {

```
48  * @author      EllisLab Dev Team
49  * @link         https://codeigniter.com/user_guide/libraries/loa
50  */
51  #[\AllowDynamicProperties]
52  class CI_Loader {
53
54      // All these are set automatically. Don't mess with them.
55      /**
56       * Nesting level of the output buffering mechanism
57       *
58       * @var int
59       */
60      protected $_ci_ob_level;
61
62      /**
63       * List of paths to load views from
```

Controller.php -> di atas class CI_Loader {

```

49  * @author      EllisLab Dev Team
50  * @link         https://codeigniter.com/user_guide/general/cont
51  */
52  #[\AllowDynamicProperties]
53  class CI_Controller {
54
55      /**
56       * Reference to the CI singleton
57       *
58       * @var object
59       */
60      private static $instance;
61
62      /**
63       * CI_Loader
64       *

```

2. Folder /system/database

pada file **DB_driver.php** -> di atas abstract class CI_DB_driver {

```

48  * @subpackage   Drivers
49  * @category      Database
50  * @author        EllisLab Dev Team
51  * @link          https://codeigniter.com/user_guide/database/
52  */
53
54  #[\AllowDynamicProperties]
55  abstract class CI_DB_driver {
56
57      /**
58       * Data Source Name / Connect string
59       *
60       * @var string
61       */
62      public $dsn;
63
64      /**
65       * Username
66       *
67       * @var string
68       */
69      public $username;
70

```

[\\ReturnTypeWillChange]

Folder /system/libraries/Session/drivers/

pada file **Session_files_driver.php**

-> di atas public function open(\$save_path, \$name)

```
131      */
132      #[\\ReturnTypeWillChange]
133      public function open($save_path, $name)
134      {
135          if ( ! is_dir($save_path))
136          {
137              if ( ! mkdir($save_path, 0700, TRUE))
138              {
```

-> di atas public function read(\$session_id)

```
68      */
69      #[\\ReturnTypeWillChange]
70      public function read($session_id)
71      {
72          // This might seem weird, but PHP 5.6
73          // which re-reads session data
74          if ($this->_file_handle === NULL)
75          {
```

-> di atas public function write(\$session_id, \$session_data)

```
237      * @return bool
238      */
239      #[\\ReturnTypeWillChange]
240      public function write($session_id, $session_data)
241      {
242          // If the two IDs don't match, we have a session
243          // and we need to close the old handle and open
244          if ($session_id !== $this->_session_id && ($this
245          {
```

-> di atas public function close()

```

295     * @return bool
296     */
297     #[\ReturnTypeWillChange]
298     public function close()
299     {
300         if (is_resource($this->_file_handle))
301         {
302             flock($this->_file_handle, LOCK_UN)

```

-> di atas public function destroy(\$session_id)

```

319     * @return bool
320     */
321     #[\ReturnTypeWillChange]
322     public function destroy($session_id)
323     {
324         if ($this->close() === $this->_success)
325         {
326             if (file_exists($this->_file_path.$ses
327         {

```

-> di atas public function gc(\$maxlifetime)

```

362     */
363     #[\ReturnTypeWillChange]
364     public function gc($maxlifetime)
365     {
366         if ( ! is_dir($this->_config['save_pa
367         {
368             log_message('debug', "Session: Ga
369         return $this->_failure

```

Terima kasih pada sumber referensi : [Raja Coding](#)

<https://www.youtube.com/watch?v=rM1C-88cYVc>

Revisi #7

Dibuat 8 Juni 2024 22:32:34 oleh Friscia Anthony

Diperbaharui 2 Oktober 2024 10:51:32 oleh Friscia Anthony